




# Flux Analyzer Live Option ¥ 1,278.57

## 表头频谱分析仪

### 产品图像



Flux

Flux Analyzer Live Option

#### 概要描述

Pure Analyzer Live Option

The Complete Live RTA Solution

#### 描述

Pure Analyzer Live Option

The Complete Live RTA Solution

The Pure Analyzer Live provides the elements needed to assist the live sound engineer in speaker array calibration tasks, a delay finder, level, meter, transfer function magnitude, phase and coherence spectra, and impulse response, as well as snapshot facilities

The actual analysis is then performed using a computer with a graphic card supporting OpenGL/DirectX. The system could also be coupled with a wireless transmitter to route a source test signal to the laptop to perform transfer curve measurements at different locations more conveniently.

#### PLEASE NOTE!

Pure Analyzer Live is not a full product, in order to run this, the Pure Analyzer Essential is required!

**Product Features** 

Multi-Channels reference support (up to 8 with multichannel option)

Individual channel selection

Summation mode

Multi-Microphone support (up to 16 with multichannel option)

Individual channel selection

Summation mode

Meters fully customizable to make the matching as close as possible to the norm

Color

Scaling

Integration time

Reference level

Peak Hold

SPL unit with calibration tools

**Protection Type** 

an iLok Dongle is required

Windows Requirements

Vista, 7, 8 and 8,1, 10

Intel Core i3 / i5 / i7 / Xeon

4 Gb RAM (recommended)

DAW/Host Application with 64 bit support

iLok account (no dongle required)

Mac Requirements

OS 10.7.5 and above

Intel Core i3 / i5 / i7 / Xeon

4 Gb RAM (recommended)

DAW/Host Application with 64 bit support

iLok account (no dongle required)